

SCHEDULE OF DOORS & WINDOWS							
TYPE	SIZE	SILL HT.	DESCRIPTION	NOS			
D1	3'-6" x 9'-0"	-	CONCRETE FRAMED TIMBER DOOR (2' HIGH CEMENT GRILL AT TOP)	01			
D2	3'-0" x 7'-0"	-	CONCRETE FRAMED TIMBER DOOR	04			
D3	3'-0" x 8'-0"	-	CONCRETE FRAMED TIMBER DOOR (1' HIGH CEMENT GRILL AT TOP)	01			
D4	2'-9" x 8'-0"	-	CONCRETE FRAMED TIMBER DOOR (1' HIGH CEMENT GRILL AT TOP)	01			
W1	4'-0" x 7'-0"	2'-0"	CONCRETE FRAMED GLAZED WINDOW (2' HIGH CEMENT GRILL AT TOP)	02			
W2	4'-0" x 6'-0"	3'-0"	CONCRETE FRAMED GLAZED WINDOW (2' HIGH CEMENT GRILL AT TOP)	04			
W3	2'-0" x 5'-0"	3'-0"	CONCRETE FRAMED GLAZED WINDOW (1' HIGH CEMENT GRILL AT TOP)	01			

## ΠA

## **IMPORTANT NOTES:**

- 1. THIS DRAWING REFERS TO A HYPOTHETICAL SITUATION
- 2. THE DRAWING SHALL BE USED ONLY AS A GUIDE AND ALTERED TO SUIT A GIVEN LOCATION AND STATUTORY REQUIREMENTS
- 3. HOUSE SHALL BE LAID ACCORDING TO THE DIMENSIONS OF THE SELECTED SITE.
- 4. EXTERNAL AND INTERNAL WALLS ARE 6" AND 4" THICK CEMENT BLOCK WORK RESPECTIVELY



STAGE 01

STAGE 02



TYPE PLAN 02 (C - 01)

**ARCHITECTURAL DRAWING** NATIONAL BUILDING RESEARCH ORGANISATION

HUMAN SETTLEMENTS PLANNING AND TRAINING DIVISION

	8 FEET TO AN INCH						
N	CHECKED		APPROVED				
10.2016	DRAWING NO.: NBRO/ARANAYAKA/AD/02/001(C-01)						