

SCHEDULE OF DOORS & WINDOWS							
TYPE	SIZE	SILL HT.	DESCRIPTION	NOS			
D1	3'-6" x 9'-0"	-	CONCRETE FRAMED TIMBER DOOR (2' HIGH CEMENT GRILL AT TOP)	01			
D2	3'-0" x 7'-0"	-	CONCRETE FRAMED TIMBER DOOR	05			
D3	2'-9" x 7'-0"	-	CONCRETE FRAMED TIMBER DOOR	01			
W1	6'-0" x 7'-0"	2'-0"	CONCRETE FRAMED GLAZED WINDOW (2' HIGH CEMENT GRILL AT TOP)	01			
W2	6'-0" x 6'-0"	3'-0"	CONCRETE FRAMED GLAZED WINDOW (2' HIGH CEMENT GRILL AT TOP)	03			
W3	4'-0" x 6'-0"	3'-0"	CONCRETE FRAMED GLAZED WINDOW (2' HIGH CEMENT GRILL AT TOP)	02			
F1	2'-0" x 2'-0"	7'-0"	CEMENT GRILL	01			

IMPORTANT NOTES:

1. THIS DRAWING REFERS TO A HYPOTHETICAL SITUATION

2. THE DRAWING SHALL BE USED ONLY AS A GUIDE AND ALTERED TO SUIT A GIVEN LOCATION AND STATUTORY REQUIREMENTS

- 3. HOUSE SHALL BE LAID ACCORDING TO THE DIMENSIONS OF THE SELECTED SITE.
- 4. EXTERNAL AND INTERNAL WALLS ARE 6" AND 4" THICK CEMENT BLOCK WORK RESPECTIVELY

FLOOR AREA - 932 SQ.FT.

STAGE 01 - 632 SQ.FT. (APPROX. ESTIMATION FOR MATERIAL - Rs.Mn 1.28.) STAGE 02 - 300 SQ.FT.

TYPE PLAN 02 (A - 02)

ARCHITECTURAL DRAWING

BUILDING RESEARCH ORGANISATION	
MENTS PLANNING AND TRAINING DIVISION	

	8 FEET TO AN INCH					
N	CHECKED		APPROVED			
10.2016	DRAWING NO.: NBRO/ARANAYAKA/AD/02/001(A-02)					