

Price Schedule

[The Bidder shall fill in these Price Schedule in accordance with the instructions indicated. The list of line items in column 1 of the Price Schedules shall coincide with the List of Goods and Related Services specified by the Purchaser in the Schedule of Requirements.]

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
LOT A											
1	Silver Schmidt hammer, Digital		3nr								
	Impact energy:	2.207 Nm (1.63 lb ft) - 0.735 Nm (0.54 lb ft) or appropriate equal rage acceptable by the Purchaser.									
	Concrete Compressive strength Range	10-100 N/mm2 (1450-14500 psi)									
	Hammer mass	135g or appropriate equal rage acceptable by the Purchaser.									
	Spring extension	75mm (2.95") or appropriate equal rage acceptable by the Purchaser.									
	Dimensions of housing	55 x 55 x 255 mm									
	Weight	570 grams or or appropriate equal rage acceptable by the Purchaser.									
	Max. No.of impacts in a series	99 or appropriate equal rage acceptable by the Purchaser.									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Memory Capacity	Dependent on length of test series									
		Example>400 series with 10 values per series									
		Example>200 series with 20 values per series									
	Display	17 x 71 pixel, graphic									
	Battery Life	> 5000 impacts between charges									
	Charger connection	USB type B (5V, 100 mA)									
	Operating Temperature	0 to 50C ⁰									
	Storage temperature	0 to 50C0									
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									
	Training	Initial Training is required									
	Duration of Delivery	To be specified									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Installation and Commissioning	Details to be specified									
	After sales service	Period to be specified									
2	Bar tracker Cover Meter		3nr								
	Rebar location										
	Rebar orientation										
	Depth of Cover and Cover reading thickness	In mm or inches									
	Large graphic display with backlight										
	Multiple language menu structure										
	Signal strength bar										
	Interchangeable heads with led and keypad										
	User selectable bar range sizes and numbers										
	Auto size mode for quick bar diameter determination										
	Orthogonal mode for bar diameter determination										
	Other models of search head available on order for Narrow pitch search, Deep cover search, Borehole. See accessories.										
	RS 232 output to PC										

1	2	3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services	Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
					(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	EDTS MS EXCEL link software									
	Data logging									
	Adjustable beep volume & earphone socket									
	Accuracy	±5% OR ±2mm whichever is the greater over the measuring range specified								
		Reinforcement should be visible or maximum possibility to be specified								
	Scan type	Displaying the concrete cover and re-bars								
	Resolution	To be specified (Higher resolution is needed)								
	Ability to measure multiple layers	Ability to measure long distances using extension rod								
		Possible to use with half-cell potential meter								
	Measuring Range	0<Range<=180								
	Training	Initial Training is required								
	Duration of Delivery	To be specified								

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Installation and Commissioning	Details to be specified									
	After sales service	Period to be specified									
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									
	Cover meter Accessories										
	Narrow pitch search head x 3 Nos		3nr		(These Accessories are not to be price in this raw, this describes only the requirements of Accessories, relevant prices to be included in the above Item No. 02 for cover meter price)						
	Accurately measures the cover thickness when the gaps between each of the rebar (pitch) are close together										
	Range: 40 mm rebar up to 80 mm depth (approx.), 8 mm bar up to 60 mm depth (approx.).										
	Sensing area 120x60 mm										
	Dimensions 155x88x42 mm										
	Deep cover search head x 3 Nos		3nr		(These Accessories are not to be price in this raw, this describes only the requirements of Accessories, relevant prices to be included in the above Item No. 02 for cover meter price)						
	The ideal search head for accurately measuring rebars that are deep within the structure.										

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Range: 40 mm rebar up to 180 mm depth (approx.), 8 mm bar up to 160 mm depth (approx.).										
	Sensing area 160x80 mm										
3	Automatic Level		1nr								
	Leveling Accuracy B 20	+ /- 0.7mm or or appropriate equal rage acceptable by the Purchaser.									
	Telescope Magnification	32X									
	Minimum focus distance	0.2m from the end of the telescope									
	Dust tight and water tight protection										
	Horizontal angle measurement										
	Quick Collimation with two horizontal motion knobs										
	Superior telescope with two speed focus knobs										
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									
	Training	Initial Training is required									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Duration of Delivery	To be specified									
	Installation and Commissioning	Details to be specified									
	After sales service	Period to be specified									
4	Distance meters		4nr								
	Battery Life	Specify									
	Dimensions	5.625"X2.5"X1.125"									
	Measuring Accuracy	Typ. +/- 1/16-in (1.5mm) or or appropriate equal rage acceptable by the Purchaser.									
	Measurement Range	Up to 400 ft									
	Weight	0.35 lb or or appropriate equal rage acceptable by the Purchaser.									
	Width	1.125									
	Includes	GLM 400C BLAZETM									
	Connected Lase Measure,	Outdoor 400 Ft,									
	Measurement taking	Horizontal Distance, Height, Angle									
	Battery	AA Batteries or specify									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Hand Strap,	Safety belt with facility to hang the instrument around the neck. (Inbuilt or separate)									
	Pouch	Protective cover									
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									
	Training	Initial Training is required									
	Duration of Delivery	To be specified									
	Installation and Commissioning	Details to be specified									
	After sales service	Period to be specified									
5	Crack width ruler		10nr								
	Elcometer 143 Crack Width Ruler (plastic)										
	Range 0.10 - 2.5mm (0.004-0.100")										
	Model No.	To be specified									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									
6	Crack Magnifier		4nr								
	Magnification	10x – 15x									
	Measuring Range	20mm x 0.1mm, or or appropriate equal rage acceptable by the Purchaser.									
	Special design permitting to read on light and dark objects,										
	plastic case ,										
	Field of View	32 mm (1.24 inch) or or appropriate equal rage acceptable by the Purchaser.									
	Scale Length	30 mm (1.17 inch) or or appropriate equal rage acceptable by the Purchaser.									
	Minimum Scale Division	0.1 mm									
	Eye-piece	20 mm									
	Size	47 x 45 x 185 mm									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Net Weight	134 g or or appropriate equal rage acceptable by the Purchaser.									
	Battery	UM-2 (1.5V) x 2									
	Reticle (Scales)	(Details to be specified)									
1		(Details to be specified)									
2		(Details to be specified)									
3		(Details to be specified)									
4		(Details to be specified)									
5		(Details to be specified)									
6		(Details to be specified)									
7		(Details to be specified)									
8		(Details to be specified)									
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Training	Initial Training is required									
	Duration of Delivery	To be specified									
	Installation and Commissioning	Details to be specified									
	After sales service	Period to be specified									
7	Field Microscope		4nr								
	Magnification	50x or or appropriate equal rage acceptable by the Purchaser.									
	Measuring Range	1.6mm x 0.02mm, or or appropriate equal rage acceptable by the Purchaser.									
	Field of View	1.7mm, or or appropriate equal rage acceptable by the Purchaser.									
	Comes with light										
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Training	Initial Training is required									
	Duration of Delivery	To be specified									
	Installation and Commissioning	Details to be specified									
	After sales service	Period to be specified									
8	Rechargeable flood lights/ Emergency lamps		4nr								
	Battery	1 Lithium ion									
	Power source	battery –powered									
		corded-electric									
	Working time	> 5 hours									
	Package weight	< 2.0kg									
	Fixture features	Water proof									
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Warranty	To be specified									
9	Measuring tapes (50m)		10nr								
	Base Material	ABS									
	Blade Thickness	0.15mm or or appropriate equal rage acceptable by the Purchaser.									
	Blade Width	10mm or or appropriate equal rage acceptable by the Purchaser.									
	Material	Steel									
10	Steel pocket tapes (5m)		10nr								
	Blade Coating	Nylon									
	Blade Width	¾ in or or appropriate equal rage acceptable by the Purchaser.									
	Blade Standout	5ft or or appropriate equal rage acceptable by the Purchaser.									
	Color	Stainless Steel									
11	Self levelling laser levels		4nr								
	Light wave length	635 NM or or appropriate equal rage acceptable by the Purchaser.									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Horizontal Automatic Adjustment range	+ / - 30 or or appropriate equal rage acceptable by the Purchaser.									
	Level Automatically Adjust the time	< 5S									
	Horizontal and vertical accuracy	+/- 1mm / 5m or or appropriate equal rage acceptable by the Purchaser.									
	Line Width	2mm / 5m									
	Launch angle	> 1150									
	Power Supply	3AA Batteries									
	Operating Temperature	-100 C - + 400C									
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									
	Training	Initial Training is required									
	Duration of Delivery	To be specified									
	Installation and Commissioning	Details to be specified									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	After sales service	Period to be specified									
12	Camera		3nr								
	Type of Camera	Single-lens reflex digital camera									
	Resolution	24.2 MP (effective)Full HD 1080p Video Recording at 60 fps or or appropriate equal rage acceptable by the Purchaser.									
		5 fps Shooting at Full Resolution									
		Active D-Lighting and In-Camera HDR									
	General Details	Built-In Wi-Fi and GPS Connectivity									
	Accessories										
	Battery	Rechargeable Li-ion									
	Battery Charger	Indicate Yes/No									
	Eyepiece Cap	Indicate Yes/No									
	USB Cable	Indicate Yes/No									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Audio Video Cable	Indicate Yes/No									
	Camera Strap	Indicate Yes/No									
	Body Cap	Indicate Yes/No									
	Accessory Shoe Cover	Indicate Yes/No									
	relevant softwares and a bag	Indicate Yes/No									
	ISO sensitivity	ISO 100 to 12800; can also be set to approx. 0.3, 0.7, or 1 EV (ISO 25600 equivalent) above ISO 12800									
	Monitor	3.2" 1,037k-Dot Vari-Angle LCD Monitor									
	Lens	18-55mm									
	Aperture	maximum aperture of f/5.6 or faster									
	Sensor Type	23.5 x 15.6 mm CMOS Sensor									
	Processor	EXPEED 4 Image Processor									
	ISO Sensitivity	Auto, 100-12800 (Extended Mode: 100-25600)									
	Battery	Rechargeable, Li-ion 600 shots									

1	2		3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services		Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
						(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Size	To be specified									
	Model No.	To be specified									
	Country of Origin	To be specified									
	Manufacturer	To be specified									
	Warranty	To be specified									
	Duration of Delivery	To be specified									
	Installation and Commissioning	Details to be specified									
	After sales service	Period to be specified									
13	Carrying Bags for site use		6nr								
	Multiple internal and external pockets for organization.										

1	2	3	4	5	6	7	8	9	10	11
Line Item No.	Description of Goods or related services	Qty and unit	Country of Origin of the Goods	Unit price (inclusive of duties, sales and other taxes) Excluding VAT	Price per line item	Inland transportation, insurance and other related services to deliver the goods to their final destination if not included under column 4	Total Price Excluding VAT	Discounted Total price (if any) excluding VAT	VAT	Total Price Including VAT
					(Col. 3x5)		(Col 6+7)			(Col. 8 or 9+10)
	Covered front pocket for secure storage of small parts.									
	Country of Origin	To be specified								
	Manufacturer	To be specified								
	Warranty	To be specified								
14	Hard disk	4nr								
	Capacity	1 TB								
	Usb type	Micro USB to USB Type A								
	Connection interface	USB 3.1 Gen 1								
	Type of storage	Solid-state drive (SSD)								
	Storage Type	External								
	Model No.	To be specified								
	Country of Origin	To be specified								
	Manufacturer	To be specified								
	Warranty	To be specified								
	Sub Total for Lot A									